

CORRECTION

Open Access



Correction: efficacy of adipose stromal cells-enriched high-density fat graft combined with BTX-A for Raynaud's phenomenon: a prospective cohort study

Chengliang Deng^{1,2}, Xin Liu², Miaomiao Wei², Bihua Wu², Tianhua Zhang², Shune Xiao^{2,3}, Peiru Min^{1*} and Yixin Zhang^{1*}

Correction: *Arthritis Res Ther* 27, 56 (2025)

<https://doi.org/10.1186/s13075-025-03533-8>

Following publication of the original article [1], the authors noticed an error in Fig. 1. Specifically, the number of subjects in the control group was incorrectly labelled and should be changed to 9.

The original article can be found online at <https://doi.org/10.1186/s13075-025-03533-8>.

*Correspondence:

Peiru Min

aru_ren@msn.com

Yixin Zhang

zhangyixin2288@163.com

¹Department of Plastic and Reconstructive Surgery, Shanghai Ninth People's Hospital, Shanghai Jiao Tong University School of Medicine, Shanghai, China

²Department of Burns and Plastic Surgery, Affiliated Hospital of Zunyi Medical University, Zunyi, China

³The Collaborative Innovation Center of Tissue Damage Repair and Regeneration Medicine, Zunyi Medical University, Zunyi, China



© The Author(s) 2025. **Open Access** This article is licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License, which permits any non-commercial use, sharing, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if you modified the licensed material. You do not have permission under this licence to share adapted material derived from this article or parts of it. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by-nc-nd/4.0/>.

The incorrect figure is:





Fig. 1 Flow chart of this prospective cohort study

The correct figure is:**Fig. 2** Flow chart of this prospective cohort study

The original article [1] has been updated.

Published online: 22 April 2025

Publisher's note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

References

1. Deng C, Liu X, Wei M, et al. Efficacy of adipose stromal cells-enriched high-density fat graft combined with BTX-A for Raynaud's phenomenon: a prospective cohort study. *Arthritis Res Ther*. 2025;27:56. <https://doi.org/10.1186/s13075-025-03533-8>.